

COMPRESSED TABLETS CHLORATE OF POTASH,

FIVE GRAINS IN EACH.

FOR HOARSENESS, BRONCHIAL IRRITATION, SORE THROAT, DIPHTHERIA, CROUP, &c.

ESPECIALLY CONVENIENT FOR SINGERS AND PUBLIC SPEAKERS.

Dr. Lennox Brown, London Throat and Ear Hospital, writes:
WYETH'S COMPRESSED TABLETS OF CHLORATE OF POTASH—are a finer remedy in all Throat Diseases than can be found in the British Pharmacopœia.

COMPRESSED TABLETS OF SODA MINT.

*Sodii Bicarb. four grains. Ammon. Carb. one-quarter grain.
Ol. Ment. Pip. one-eighth Gtt.*

A pleasant Antacid and Stomachic. The conjoint effect of so pleasant an aromatic stimulant with a favorite Antacid, renders this combination especially useful in Nausea, Sick-Headache, Sea-Sickness, Heartburn, Indigestion, Flatulence, etc. Each tablet represents one tablespoonful of liquid Soda Mint.

COMPRESSED TABLETS OF SALICYLATE OF CINCHONIDIA.

Two and one-half, and Five Grains each.

We recommend the above tablets in all cases of acute articular Rheumatism, Gout, Neuralgia, Sciatica, etc., etc., with almost absolute certainty of prompt relief. Owing to its insolubility, it cannot be given in solution, and physicians will find the nearest approach to this, in the administration of our Compressed Powders or Pills. These being free from coating, must necessarily disintegrate more quickly than a coated pill.

IMPORTANT.

November, 1881.

We have been advised by Physicians and Druggists of IMITATIONS of our BEEF, IRON AND WINE, so similar in appearance, (the bottle and style of label being an exact copy, with verbatim wording,) that any one would be at once deceived, rendering it necessary for the purchaser to see that our NAME is on the LABEL, to avoid being imposed upon.

ELEGANT PHARMACEUTICAL
PREPARATIONS,
Compressed Hypodermic Tablets,
Compressed Powders (or Pills),
—AND—
Medicinal Fluid Extracts
—MANUFACTURED BY—
JOHN WYETH & BROTHER
PHILADELPHIA:

With Quantitative Composition.

PHILADELPHIA:
GEO. F. LASHER, Steam-printer, 605 & 607 Arch Street.
1882.

TO PHYSICIANS AND DRUGGISTS.

Five Awards from the United States Centennial Commission.

Award at Paris, 1878.

Award at Melbourne, 1880.

We have, for many years, claimed superiority for the **MEDICINAL PREPARATIONS** of our Manufacture, and the articles we control, over similar Pharmaceutical Products made by other houses.

It gives us great pleasure to announce to physicians and druggists, that the United States Centennial Commission, after *critical analysis, examination and comparison*, have endorsed our claim to their "superiority," and have given us three awards, as follows:

For our **PHARMACEUTICAL PREPARATIONS**—embracing **Elixirs, Syrups, Medicinal Wines, Saccharated Pepsin, etc., etc.**

For our **COMPRESSED POWDERS**, (or Pills).

For our **PAPOMA** (Food for Infants and Invalids).

For our **SUPPOSITORIES**.

Two awards were also given to the manufacturers of the preparations, for which we have the sole agency, and which have met with such deserved favor from physicians, viz:

To **MARVIN BROS. & BARTLETT**, for their **PURE MEDICINAL COD LIVER OIL**.

To **ED. LOEFLUND**, Stuttgart, Germany, for his **CONCENTRATED EXTRACT OF MALT**.



We were awarded a medal at the Paris Exhibition, 1878, for the superiority of our preparations, having exhibited a full line; also at Melbourne, Australia, 1880, our Fluid Extracts received first prize.

John Wyeth & Brother,
PHILADELPHIA.

Will please specify "Wyeth's," when prescribing.

ELIXIRS.

—:O:—

AROMATIC CORDIAL.

An agreeable and convenient vehicle for administering nauseous drugs.

BISMUTH.

Each fluid-drachm contains 2 grains Am. Cit. Bismuth.

BISMUTH AND STRYCHNIA.

Each fluid-drachm contains 2 grains Am. Cit. Bismuth, and 1-60 grain of Strychnia.

BLACK COHOSH COMPOUND.

Each fluid-ounce represents the virtue of 36 grains of Black Cohosh, 36 grains of Wild Cherry, 12 grains of Blood Root, and 12 grains of Licorice.

BLUE FLAG.

Each tablespoonful contains 80 grains Blue Flag.

BROMIDE OF AMMONIUM.

Each fluid-drachm contains 5 grains Bromide of Ammonium.

BROMIDE OF CALCIUM.

Each fluid-drachm contains 5 grains Bromide of Calcium.

BROMIDE OF LITHIUM.

Each fluid-drachm contains 5 grains Bromide of Lithium.

BROMIDE OF MORPHIA.

Each fluid-drachm contains 1-8 grain Bromide of Morphia.

BROMIDE OF POTASSIUM.

Each fluid-drachm contains 10 grains Bromide of Potassium.

BROMIDE OF SODIUM.

Each fluid-drachm contains 10 grains Bromide of Sodium.

BUCHU.

Each fluid-drachm represents the virtue of 30 grains of Buchu.

BUCHU AND PAREIRA BRAVA.

Each fluid-drachm represents the virtue of 15 grains each, of Buchu and Pareira Brava.

CINCHONA (CALISAYA).

Each fluid-drachm contains 5 grains Calisaya Bark.

ELIXIRS.

CINCHONA FERRATED (RED BARK).

Each dessertspoonful contains 4 grains Cit. of Iron and 10 grains Red Peruvian Bark.

CALISAYA BARK, IRON AND BISMUTH.

Each fluid-drachm contains 5 grains Calisaya Bark, 2 grains Iron, and 1 grain Am. Cit. Bismuth.

CALISAYA BARK, IRON, BISMUTH AND STRYCHNIA.

Each dessertspoonful contains 10 grains Calisaya Bark, 2 grains Iron, 2 grains Am. Cit. Bismuth, and 1-60 grain Strychnia.

CALISAYA BARK, IRON AND PEPSIN.

Each fluid-drachm contains 5 grains Calisaya Bark, 2 grains Iron, and 5 grains Sacch. Pepsin.

CALISAYA BARK, IRON, PEPSIN, AND BISMUTH.

Each fluid-drachm contains 5 grains Calisaya Bark, 2 grains Iron, 5 grains Sacch. Pepsin, and 1 grain Am. Cit. Bismuth.

CALISAYA BARK, IRON, PEPSIN, BISMUTH AND STRYCHNIA.

Each fluid-drachm contains 5 grains Calisaya Bark, 2 grains Am. Cit. Iron, 5 grains Sacch. Pepsin, 1 grain Am. Cit. Bismuth, and 1-60 grain of Strychnia.

CALISAYA BARK, IRON AND STRYCHNIA.

Each fluid-drachm contains 5 grains Calisaya Bark, 2 grains Iron, and 1-50 grain Strychnia.

CATHARTIC, OR COMPOUND LAXATIVE ELIXIR.

Tinnevely Senna, Butternut (*Juglans Cinerea*), Podophyllin, Rochelle Salt, Bi-Carbonate Soda, with Aromatics and Tamarinds.

CINCHONA AND LACTATE OF IRON.

Each dessertspoonful contains 2 grains Lactate of Iron and 10 grains Peruvian Bark.

CINCHONIDIA.

Each fluid-drachm contains 1 grain Cinchonidia.

CINCHONIDIA AND IRON.

Each fluid-drachm contains 1 grain Cinchonidia and 2 grains Iron.

CINCHONIDIA, IRON AND STRYCHNIA.

Each fluid-drachm contains 2 grains Iron, 1 grain Cinchonidia, and 1-60 grain Strychnia.

CITRATE OF LITHIA.

Each fluid-drachm contains 2 grains Citrate of Lithia.

COCA LEAVES.

(*Erythroxylon Coca.*)

Each fluid-drachm contains 5 grains Coca.

ELIXIRS.

CORDIAL FERRATED.

Each fluid-drachm contains 1 grain Pyrophosphate of Iron.

CORYDALIS COMPOUND.

Each fluid-drachm contains 8 grains each of *Corydalis Formosa*, *Stillingia Sylvatica*, *Xanthoxylum Fraxineum*, 6 grains *Iris Versicolor*, and 1 grain Iodide of Potassium.

EUCALYPTUS COMPOUND.

Each fluid-drachm contains 10 grains *Eucalyptus*, 5 grains Prickly Ash Berries, 5 grains *Grindelia Squarrosa*, $2\frac{1}{2}$ grains Golden Seal, with Aromatics.

EUCALYPTUS GLOBULUS.

Each fluid-ounce contains 80 grains *Eucalyptus*.

GENTIAN.

One-half strength of Compound Tincture of Gentian, U. S. P

GENTIAN, FERRATED.

Each fluid-drachm contains the strength of Co. Infusion of Gentian, with 1 grain Phosphorated Iron.

GENTIAN, WITH TINCTURE CHLORIDE OF IRON.

Each dessertspoonful contains 10 minims of the official Tincture Chloride of Iron.

GRINDELIA ROBUSTA.

Each tablespoonful contains 30 grains *Grindelia Robusta*, combined with Aromatics.

GUARANA.

(*Paullinia Sorbilis*.)

Each fluid-ounce contains 40 grains Guarana.

HELONIAS ROOT COMPOUND.

Each fluid-ounce contains the virtue of 110 grains *Mitchella Repens*, 28 grains *Viburnum Opulus*, 28 grains *Caulophyllum Thalictroides*, and 28 grains *Helonias Dioica*.

HOPS.

Equal in strength to Tincture Hops, U. S. P.

LICORICE COMPOUND.

For masking the bitter taste of Quinine.

LUPULIN.

Each fluid-drachm represents 3 grains selected Lupulin.

MATICO COMPOUND.

Each dessertspoonful contains the virtue of 30 grains Matico, 15 grains Cubebs, and 15 grains Buchu.

PEPSIN.

Each fluid-drachm contains 5 grains Sacch. Pepsin.

ELIXIRS.

PEPSIN AND BISMUTH.

Each fluid-drachm contains 5 grains Sacch. Pepsin, and 1 grain Am. Cit. Bismuth.

PEPSIN, BISMUTH AND CALISAYA BARK.

Each fluid-drachm contains 5 grains Sacch. Pepsin, 1 grain of Am. Cit. Bismuth, and 5 grains Calisaya Bark.

PEPSIN, BISMUTH AND IRON.

Each fluid-drachm contains 5 grains of Sacch. Pepsin, 1 grain Am. Cit. Bismuth, and 2 grains Am. Cit. Iron.

PEPSIN, BISMUTH AND STRYCHNIA.

Each fluid-drachm contains 5 grains Sacch. Pepsin, 1 grain of Am. Cit. Bismuth, and 1-60 grain of Strychnia.

PEPSIN, BISMUTH, STRYCHNIA AND IRON.

Each fluid-drachm contains 5 grains Sacch. Pepsin, 1 grain Am. Cit. Bismuth, 1-60 grain Strychnia, and 1 grain Am. Cit. Iron.

PEPSIN, IRON AND STRYCHNIA.

Each fluid-drachm contains 5 grains Sacch. Pepsin, 2 grains Iron, and 1-60 grain Strychnia.

PEPSIN, PANCREATINE AND BISMUTH.

Each fluid-drachm contains 5 grains Sacch. Pepsin, 5 grains Sacch. Pancreatine, and 1 grain Am. Cit. Bismuth.

PHOSPHATES AND CALISAYA.

(Chemical Food with Cinchona.)

Each pint represents the strength of 1 ounce of Peruvian Bark; and each fluid-ounce contains 1 grain freshly precipitated Phosph. Iron, 2 grains Phosph. Lime, $\frac{1}{2}$ grain Phosph. Soda, with a slight excess of Phosphoric Acid.

PHOSPHATE OF IRON AND QUININE.

Each fluid-drachm contains 2 grains Phosph. Iron and 1 grain Quinia

PHOSPHATE OF IRON, QUININE AND STRYCHNIA.

Each fluid-drachm contains 2 grains Phosph. Iron, 1 grain Quinia, and 1-60 grain Strychnia.

PHOSPHORUS.

Each fluid-drachm contains 1-100 grain Free Phosphorus.

PHOSPHORUS COMPOUND.

Each fluid-drachm contains 1-100 grain Phosphorus, and 1 grain of Nux Vomica.

PYROPHOSPHATE OF IRON.

Each fluid-drachm represents the activity 5 grains of Calisaya Bark, with 2 grains of the Soda-Pyrophos. Iron.

ELIXIRS.

PYROPHOSPHATE OF IRON, QUININE AND STRYCHNIA.

Each fluid-drachm contains 2 grains Pyrophos. Iron, 1 grain Quinia, and 1-60 grain Strychnia.

PYROPHOSPHATE OF IRON, QUININE AND ARSENIC.

Each fluid-drachm contains 2 grains Pyrophosph. Iron, 1 grain Quinia, and 1-30 grain Arsenic.

QUININE AND STRYCHNIA.

Each fluid-drachm contains 1 grain Quinia, and 1-60 grain Strychnia.

RHAMNI FRANGULÆ.

(Buckthorn Bark.)

Each fluid-drachm represents 30 grains Buckthorn Bark.

RHUBARB AND MAGNESIA.

Each fluid-drachm represents 20 grains Pulv. Rhei. Comp. U. S. P.

STILLINGIA COMPOUND.

Each fluid-ounce represents 30 grains Stillingia, 30 grains Turkey Corn, 15 grains Blue Flag, 15 grains Yellow Dock, $7\frac{1}{2}$ grains Coriander, $7\frac{1}{2}$ grains Prickly Ash Berries.

SUMBUL COMPOUND.

Each fluid-ounce contains 60 grains Sumbul, 15 grains Scull-Cap, and 4 grains Valerian.

TARAXACUM COMPOUND.

Composed of Dandelion (fresh root), Wild Cherry and Gentian.

VALERIANATE OF AMMONIA.

Each fluid-drachm contains 2 grains crystallized Valer. Ammonia.

VALERIANATE OF AMMONIA AND QUININE.

Each fluid-drachm contains 2 grains crystallized Valer. Ammonia, and 1 Quinia.

VALERIANATE OF IRON.

Each fluid-drachm contains 1 grain Valer. Iron.

VALERIANATE OF MORPHIA.

Each fluid-drachm contains $\frac{1}{8}$ grain Valer. Morphia.

VALERIANATE OF STRYCHNIA.

Each fluid-drachm contains 1-40 grain Valer. Strychnia.

VALERIANATE OF ZINC.

Each fluid-drachm contains 1 grain Valer. Zinc.

WAHOO, (BARK OF ROOT).

(Euonymus Atropurpureus.)

Each tablespoonful contains 80 grains Wahoo.

WAHOO AND BLUE FLAG.

(Euonymus and Iris.)

Each fluid-ounce contains 80 grains each of Wahoo and Blue Flag.

PREPARATIONS OF BEEF.

BEEF AND WINE.

In each tablespoonful of this Preparation, there is the essence of one ounce of Beef in solution in Sherry Wine.

BEEF, WINE AND IRON.

Each tablespoonful contains the essence of one ounce of Beef, half-ounce of Sherry Wine, and 2 grains of Am. Cit. Iron.

BEEF, WINE, IRON AND CINCHONA.

Beef, Wine and Iron, with 10 grains Cinchona, in each dessertspoonful.

SYRUPS.

CHLORAL HYDRATE.

Each fluid-drachm contains 5 grains crystallized Chloral Hydrate.

HYPOPHOSPHITES COMPOUND, (Churchill's).

Each fluid-drachm contains 2 grains Lime, 2 grains Soda, and 1 grain Potassa.

HYPOPHOSPHITES COMPOUND AND IRON.

Each fluid-drachm contains 2 grains Lime, 2 grains Soda, 1 grain Potassa, and $\frac{1}{2}$ grain Iron.

HYPOPHOSPHITES COMPOUND.

(With Quinine.)

Each fluid-drachm contains 2 grains Lime, 2 grains Soda, 1 grain Potassa, $\frac{1}{2}$ grain Iron, and $\frac{1}{2}$ grain Quinine.

HYPOPHOSPHITE OF IRON.

Each fluid-drachm contains 1 grain Iron.

HYPOPHOSPHITE OF LIME.

Each fluid-drachm contains 2 grains Lime.

HYPOPHOSPHITES OF LIME AND SODA.

Each fluid-drachm contains 2 grains Lime and 2 grains Soda.

HYPOPHOSPHITE OF SODA.

Each fluid-drachm contains 2 grains Soda.

IODIDE OF LIME.

Each fluid-drachm contains 2 grains Iodide of Lime.

SYRUPS.

LACTOPHOSPHATE OF IRON.

Each fluid-drachm contains 1 grain Lactophos. Iron.

LACTOPHOSPHATES OF IRON AND LIME.

Each fluid-drachm contains 1 grain Lime and $\frac{1}{2}$ grain Iron.

LACTOPHOSPHATE OF LIME.

Each fluid-drachm contains 2 grains Lactophos. Lime. It is prepared with an excess of Lactic Acid.

LACTOPHOSPHATE OF LIME AND PEPSIN.

Each fluid-drachm contains 2 grains Lactophos. Lime, and 2 grains Pepsin.

LACTOPHOSPHATES OF LIME AND SODA.

Each fluid-drachm contains 2 grains Lime and 1 grain Soda.

LACTOPHOSPHATES COMPOUND.

Each fluid-drachm contains 1 grain Lime, $\frac{1}{2}$ grain Iron, and $\frac{1}{4}$ grain Potash.

LACTOPHOSPHATES OF IRON, QUININE AND STRYCHNIA.

Each dessertspoonful contains 2 grains Iron, 1 grain Quinine, and 1-60 grain Strychnia.

PHOSPHATES COMPOUND.

(Chemical Food.)

Each fluid-drachm contains 1 grain freshly precipitated Phosph. Iron, 2 grains Phosph. Lime, 1 grain Phosph. Soda, $\frac{1}{2}$ grain Phosph. Potash, with slight excess of Phosphoric Acid.

PHOSPHATE IRON, QUININE AND STRYCHNIA.

Each fluid-drachm contains 2 grains Phosph. Iron, 1 grain Quinia, and 1-60 grain Strychnia.

PHOSPHATE OF MANGANESE COMPOUND.

Each fluid-drachm contains 1 grain Phosph. Iron, 1 grain Manganese, and 2 grains Soda.

SUPERPHOSPHATE OF IRON.

Each fluid-drachm contains 3 grains Phosph. Iron, with an excess of Phosphoric Acid.

PECTORAL SYRUP (JACKSON'S).

Made from the formula of Prof. Samuel Jackson.

10 Physicians, who wish to use our Preparations,

LIQUORS.

ACIDI PHOSPHORICI.

(Without Iron.)

Each fluid-drachm contains 3 grains Phosph. Lime, 2 grains Phosph. Magnesia, $1\frac{1}{2}$ grains Phosph. Potassa, with free Phosphoric Acid.

ACIDI PHOSPHORICI COMPOUND.

(With Iron.)

Each fluid-drachm contains 3 grains Phosph. Lime, $\frac{1}{2}$ grain Phosph. Magnesia, $\frac{1}{4}$ grain Phosph. Potassa, $\frac{1}{2}$ grain Phosph. Iron, with free Phosphoric Acid.

BISMUTH.

Each fluid-drachm contains 2 grains Am. Cit. Bismuth.

PEPSINÆ.

Each fluid-ounce represents 40 grains Sacch. Pepsin.

WINES.

PEPSIN.

Made from the Stomach of the Pig.

Each fluid-drachm contains 5 grains Sacch. Pepsin.

BITTER WINE OF IRON.

Each fluid-drachm contains 2 grains Am. Cit. Iron, and 5 grains Calisaya Bark.

WILD-CHERRY BARK.

Each fluid-drachm represents 20 grains Wild Cherry Bark, collected at the proper season.

FERRATED WINE OF WILD-CHERRY BARK.

Each fluid-drachm represents 20 grains Wild Cherry Bark, and 2 grains Iron.

CALISAYA.

Each fluid-drachm represents 5 grains Calisaya Bark.

ERGOT.

Strength, United States Dispensatory.

IRON.

Each fluid-drachm contains 1 grain Am. Cit. Iron.

LACTOPHOSPHATE OF LIME.

Each fluid-drachm contains 2 grains Lactophosphate Lime.

WYETH'S CHLORODYNE.

ANODYNE, SEDATIVE, ANTISPASMODIC AND DIAPHORETIC.

COD LIVER OIL PREPARATIONS.



COD-LIVER OIL.

Manufactured by Marvin Brothers & Bartlett, Portsmouth, N. H.

TASTELESS COD-LIVER OIL.

Cod-Liver Oil prepared in an emulsion.

TASTELESS COD-LIVER OIL, FERRATED.

Each fluid-drachm contains 1 grain Pyrophos. Iron.

COD-LIVER OIL, WITH PHOSPHATE OF LIME.

Each ounce of the Emulsion contains 16 grains Phosph. Lime.

LACTOPHOSPHATE OF LIME WITH COD-LIVER OIL.

Each ounce contains 8 grains Lactophos. Lime.

COD-LIVER OIL AND HYPOPHOSPHITES.

(Lime and Soda.)

Each tablespoonful contains 6 grains chemically pure Hypophosphite Salts.

WYETH'S DIALYSED IRON.



DIALYSED IRON.

(Ferrum Dialysatum.)

A pure Neutral Solution of Peroxide of Iron in the Colloid Form. The result of Endosmosis and Diffusion with distilled water.

Dose.—Twenty to fifty drops, or at most about one-half fluid-drachm daily, taken at four or five times (one-fourth or one-fifth each time) in a little water, with or without sugar, (or merely dropped on a small lump of sugar), in wine, in coffee, etc.

SCALES OF FERRUM DIALYSATUM.



FERRUM DIALYSATUM.

These Scales are prepared from our Solution of Dialysed Iron, evaporated at a low temperature.

Physicians will obtain much better results from the Solution, and we would advise its administration in preference.

MISCELLANEOUS.

COMP. FLUID EXTRACT OF BUCHU AND PAREIRA BRAVA.

This Fluid Extract is composed of equal quantities of Buchu, Pareira Brava, and Collinsonia Canadensis.

SOLUTION OF CARBOLIC ACID.

Each fluidounce contains 40 grains Glacial Acid.

PAPOMA.

A nutritious and easily digested food for Infants and Adult Invalids.

SACCHARATED PEPSIN.

(Pepsin Porci.)

Pepsin obtained from the Stomach of the Pig, in a pure and palatable form. This is a concentrated preparation of Pepsin, containing the digestive principle of the gastric juice in a very active state.

Ten grains dissolved in two ounces of water, acidulated with fifteen minims of Muriatic Acid, will digest from 250 to 300 grains of raw Beef (fibrine), deprived of fat and muscular tissue, at 105° F. in six hours.

PURE PEPSIN.

This is *pure* Pepsin, and represents, in the most concentrated form, the digestive principle contained in the stomach of the Pig, the only addition being of sufficient Sugar of Milk, to enable us to reduce it to powder. For Strength and Purity, we believe it to be unequalled by any Pepsin manufactured.

One grain dissolved in two ounces of water, acidulated with fifteen minims of Muriatic Acid, will digest from 250 to 300 grains of raw Beef (fibrine), deprived of fat and muscular tissue at 105° F. in six hours.

RESIN OF PODOPHYLLUM.

SPONGE TENTS.

With or Without Carbolic Acid.

CAMERON'S GOUT SPECIFIC.

An effectual and speedy remedy for Gout, Rheumatism, Sciatica, Lumbago, and Neuralgia,

LIQUID RENNET.

ROBERT'S ASTHMA CIGARETTES.

A certain relief, and often a cure, for the worst cases of Asthma, Bronchitis, Chronic Cough, Catarrh, Oppression of the Chest, Convulsive Cough, Angina Pectoris, Irritation of the Bronchial Tubes and Throat, Spasms of the Esophagus and Stomach, Shortness of Breath, and all diseases and affections of the Respiratory Organs.

SUCCUS TARAXACI.

The juice of fresh Dandelion Root.

WARBURG'S TINCTURE.

Anti-malarial, Tonic.

GRANULAR EFFERVESCENT SALTS.

Manufactured by Alfred Bishop, London.

Acid Salicylic.	5 grains in Fl. 3
Ammonium Bromide,	2 " "
Bismuth Ammonia Citrate,	2 " "
Caffeine Citrate,	1 " "
Carlsbad Salts (as the natural water),	
Cerium Nitrate,	2 " "
Cerium Oxalate,	2 " "
Cinchonia Citrate,	1 1/4 " "
Cinchonia and Iron, Citrate {	Cinchonia,	1 1/4 " "
	Iron,	1 " "
Iron Bromide,	2 " "
Iron Carbonate,	2 " "
Iron Citrate,	2 " "
Iron Iodide,	1 " "
Iron Phosphate,	2 " "
Iron, Quinine and {	Phosphate Iron,	2 " "
	Strychnia, Ortho-	1 " "
	phosphate. {	Strychnia,	.	.	.	1-100 " "
Kissengen (as the natural water),	
Lithium Benzoate,	4 " "
Lithium Citrate,	2 " "
Magnesian Aperient (printed directions and dose),	
Magnesium Citrate,	
Nux Vomica Extract,	1-12 " "
Pepsin and Bismuth, {	Saccharated Pepsin,	5 " "
	Ammonia Citrate Bismuth,	2 " "
Pepsin, Bismuth and {	Saccharated Pepsin,	5 " "
	Ammonia Citrate Bismuth,	2 " "
	Strychnia,	1-100 " "
Pepsin (Saccharated),	5 " "
Potassium Benzoate,	2 " "
Potassium Bi-carbonate,	4 " "
Potassium Citrate,	10 " "
Potassium Nitrate,	5 " "
Potassium Bromide,	2 " "
Potassium Iodide,	2 " "
Pullna Salts (as the natural water),	
Quinine Citrate,	1 " "
Quinine and Iron Citrate,	Each 1 " "
Seidlitz (official strength),	
Seltzer Salts (as the natural water),	
Soda Cit. Tart.,	
Sodium Iodide,	1 1/2 " "
Vichy Salts (as the natural water),	

Physicians will find this mode of administering many medicines and the natural waters, such as Vichy, Kissengen, etc., preferable to any other.

Physicians and Druggists will find Alfred Bishop's superior to any other make.

BUTTER OF CACAO SUPPOSITORIES.

Rectum, Vaginal, and Male Urethral Suppositories, and Soluble Pessaries of Pure Butter Cacao, made with great care, and of every variety of combination.

The following list comprises those most frequently ordered. A supply is always kept on hand ready for immediate dispensing.

RECTUM SUPPOSITORIES.

1	Butter of Cacao,		40	{ Ext. Belladonna,	$\frac{1}{2}$ grain.
2	Opium,	$\frac{1}{8}$ grain.		{ Acetate Lead,	3 "
3	"	1-6 "		{ Ext. Stramonium,	$\frac{1}{2}$ "
4	"	$\frac{1}{4}$ "		{ Tannin,	$\frac{1}{2}$ "
5	"	$\frac{1}{2}$ "	41	{ Carbonate Lead,	1 "
6	"	1 "		{ Goulard's Ext.,	gtt. 2
7	"	2 "		{ Creasote,	$\frac{1}{2}$ grain.
8	"	3 "		{ Iodide Lead,	3 "
9	"	4 "	42	{ Ext. Belladonna,	$\frac{1}{2}$ "
10	Aq. Ext. Opium,	$\frac{1}{4}$ "		{ Sulph. Morphia,	$\frac{1}{4}$ "
11	"	$\frac{1}{2}$ "		{ Tannin,	5 "
12	"	1 "	43	{ Opium,	1 "
13	"	2 "		{ Ipecac,	1 "
14	Sulph. Morphia,	1-12 "	44	{ Opium,	2 "
15	"	$\frac{1}{2}$ "		{ Ipecac,	2 "
16	"	$\frac{1}{4}$ "	45	{ Ext. Stramonium	1 "
17	"	$\frac{1}{2}$ "		{ Tannin,	5 "
18	"	1 "	46	{ Sulphate Quinine,	1 "
19	Acetate Morphia,	1-12 "	47	"	2 "
20	"	$\frac{1}{8}$ "	48	"	3 "
21	"	$\frac{1}{4}$ "	49	"	4 "
22	"	$\frac{1}{2}$ "	50	{ Opium,	$\frac{1}{4}$ "
23	"	1 "		{ Ext. Belladonna,	$\frac{1}{4}$ "
24	{ Opium,	1 "	51	{ Opium,	1 "
	{ Tannin,	2 "		{ Ext. Belladonna,	$\frac{1}{4}$ "
25	{ Opium,	2 "	52	{ Opium,	2 "
	{ Tannin,	2 "		{ Ext. Belladonna,	$\frac{1}{2}$ "
26	{ Opium,	1 "	53	{ Opium,	3 "
	{ Tannin,	5 "		{ Ext. Belladonna,	$\frac{1}{2}$ "
27	{ Opium,	2 "	54	{ Aq. Ext. Opium,	$\frac{1}{2}$ "
	{ Tannin,	5 "		{ Ext. Belladonna,	$\frac{1}{8}$ "
28	{ Opium,	1 "	55	{ Aq. Ext. Opium,	1 "
	{ Acetate Lead,	2 "		{ Ext. Belladonna,	$\frac{1}{2}$ "
29	{ Opium,	2 "	56	{ Aq. Ext. Opium,	1 $\frac{1}{2}$ "
	{ Acetate Lead,	2 "		{ Ext. Belladonna,	$\frac{1}{2}$ "
30	{ Opium,	1 "	57	{ Aq. Ext. Opium,	2 "
	{ Acetate Lead,	5 "		{ Ext. Belladonna,	$\frac{1}{2}$ "
31	{ Opium,	2 "	58	{ Aq. Ext. Opium,	2 "
	{ Acetate Lead,	5 "		{ Ext. Belladonna,	1 "
32	Tannin,	2 "	59	{ Aq. Ext. Opium,	2 $\frac{1}{2}$ "
33	"	5 "		{ Ext. Belladonna,	1 $\frac{1}{4}$ "
34	"	10 "	60	{ Ext. Krameria,	3 "
35	{ Ext. Stramonium,	1 "	61	"	5 "
	{ Acetate Lead,	2 "	62	"	10 "
36	Ext. Belladonna,	$\frac{1}{4}$ "	63	Ext. Hyoscyamus	3 "
37	"	$\frac{1}{2}$ "	64	"	5 "
38	"	1 "	65	{ Ext. Hyoscyamus,	2 "
	"	$\frac{1}{4}$ "		{ Aq. Ext. Opium,	1 "
39	{ Ext. Belladonna,	$\frac{1}{4}$ "	66	{ Ext. Hyoscyamus,	4 "
	{ Acetate Lead,	1 $\frac{1}{2}$ "		{ Aq. Ext. Opium,	1 "

LAWTON'S ABSORBENT COTTON.

FOR

HOSPITALS, DISPENSARIES, PHYSICIANS, DENTISTS,
DRUGGISTS, PHOTOGRAPHERS, ETC.

—:O:—

We put up our Absorbent Cotton in neat and convenient packages, containing one pound, one-quarter pound, two ounces, one ounce, and half-ounce.

COMPRESSED POWDERS, OR PILLS.

—:O:—

The preparation of drugs in such a form as to be at once efficient and readily administered, is a matter of the utmost importance, alike to physicians and patient. In this respect, great advances have been made of late years; but we think we can confidently claim that our Compressed Powders are far superior to any of the other improved medicaments hitherto introduced.

These "Compressed Powders," made by dry compression, are free from the coatings that render many other Pills objectionable.

They are readily soluble or diffusible, and being flat in shape, are more easily swallowed than those of any other form.

They are smooth, glossy, and elegant in appearance, and are made only of the purest materials.

Leading physicians have found these "Compressed Powders" to be reliable and quick in their action.

Bi-Sulphate of Quinine being a more soluble salt than the ordinary Sulphate, we recommend its use in preference. When given in the form of a "Compressed Powder," it will act as promptly as a *solution* of Quinine:

Physicians, who wish to prescribe our Powders, should specify "Wyeth's Compressed."

SOLUBLE

COMPRESSED HYPODERMIC TABLETS.



EXACT SIZE OF TUBE.

The following formulæ and combinations embrace all those in general request. Others will be added as the demands of the profession warrant their manufacture.

Their convenience and utility will at once be apparent on examination.

1	Morphiæ Sulphas,	$\frac{1}{2}$ grain.	10	Morphiæ Sulphas,	1-6 grain.
	Sodæ Sulphas,	$\frac{1}{4}$ "		Atropiæ Sulphas,	1-180 "
2	Morphiæ Sulphas,	$\frac{1}{8}$ "		Sodæ Sulphas,	$\frac{1}{4}$ "
	Sodæ Sulphas,	$\frac{1}{4}$ "	11	Morphiæ Sulphas,	$\frac{1}{8}$ "
3	Morphiæ Sulphas,	$\frac{1}{4}$ "		Atropiæ Sulphas,	1-200 "
	Sodæ Sulphas,	$\frac{1}{4}$ "		Sodæ Sulphas,	$\frac{1}{4}$ "
4	Morphiæ Sulphas,	1-6 "	12	Morphiæ Sulphas,	1-12 "
	Sodæ Sulphas,	$\frac{1}{4}$ "		Atropiæ Sulphas,	1-250 "
5	Morphiæ Sulphas.	$\frac{1}{8}$ "		Sodæ Sulphas,	$\frac{1}{4}$ "
	Sodæ Sulphas,	$\frac{1}{4}$ "	13	Atropiæ Sulphas,	1-60 "
6	Morphiæ Sulphas,	1-12 "		Sodæ Sulphas,	$\frac{1}{4}$ "
	Sodæ Sulphas,	$\frac{1}{4}$ "	14	Atropiæ Sulphas,	1-100 "
7	Morphiæ Sulphas,	$\frac{1}{2}$ "		Sodæ Sulphas,	$\frac{1}{4}$ "
	Atropiæ Sulphas,	1-100 "	15	Atropiæ Sulphas,	1-150 "
	Sodæ Sulphas,	$\frac{1}{4}$ "		Sodæ Sulphas,	$\frac{1}{4}$ "
8	Morphiæ Sulphas,	$\frac{1}{8}$ "	16	Strychniæ Sulphas,	1-60 "
	Atropiæ Sulphas,	1-120 "		Sodæ Sulphas,	$\frac{1}{4}$ "
	Sodæ Sulphas,	$\frac{1}{4}$ "	17	Strychniæ Sulphas,	1-100 "
9	Morphiæ Sulphas,	$\frac{1}{4}$ "		Sodæ Sulphas,	$\frac{1}{4}$ "
	Atropiæ Sulphas,	1-150 "	18	Strychniæ Sulphas,	1-150 "
	Sodæ Sulphas,	$\frac{1}{4}$ "		Sodæ Sulphas,	$\frac{1}{4}$ "

They are put up in Cylindrical Tubes, convenient for carrying in Hypodermic or Pocket case, each Tube containing twenty Tablets, ten Tubes or two hundred Tablets in a Case.

COMPRESSED POWDERS OR PILLS.

—:o:—

Acid Arsenici, 1-20 and 1-50 grain (c. Sacch. Lactis).

Acid Gallic, 5 grains.

Acid Salicylic, $2\frac{1}{2}$ and 5 grains.

Acid Tannic, 2 and 5 grains.

Aconitæ, 1-50 grain (c. Sacch. Lactis).

Aloes (U. S. P.)

Pulv. Aloes Socot, 2 grains, Pulv. Sappinis, 2 grains.

Aloes et Ferri.

Pulv. Aloes Socot. $\frac{1}{2}$ grain, Pulv. Zingib. Jam., 1 grain, Fer. Sulph. Exsic. 1 grain, Ext. Conii, $\frac{1}{2}$ grain.

Aloes et Mastic (see Lady Webster's).

Aloes et Myrrh (U. S. P.)

Pulv. Aloes Socot. 2 grains, Pulv. Myrrh 1 grain, Croci Stigmat, $\frac{1}{2}$ grain.

Aloin (Smith's), $\frac{1}{2}$ grain, (c. Sacch. Lactis.)

Alterative (see Hydrarg. Comp.)

Ammonium Bromid, 5 and 10 grains.

Ammonium Muriat, 3, 5 and 10 grains.

Anti-Bilious (Vegetable).

Ext. Coloc. Co. $2\frac{1}{2}$ grains, Podophyllin $\frac{1}{4}$ grain.

Anti-Dyspeptic.

P. Ipecac 1-10 grain, Mass. Hydr. 2 grains, Ext. Coloc. Co. 2 grains.

Antimonii Comp. (U. S. P.)

Anti-Periodic.

Cinchonia Sulph. 1 grain, Ferri Sulph. Exsic. 1 grain, Ext. Quass. $\frac{1}{2}$ grain, Ext. Rhei. $\frac{1}{4}$ grain, Pulv. Myrrh $\frac{1}{2}$ grain.

Aperient.

Ext. Nucis Vom. $\frac{1}{2}$ grain, Ext. Coloc. Co. 2 grains, P. Rhei $\frac{1}{2}$ grain.

Aperient (Drysdale's).

Rhei Pulv. $1\frac{1}{4}$ grains, Aloes $1\frac{1}{4}$ grains, Ipecac 5-12 grain, Nuc. Vom. Pulv $\frac{1}{2}$ grain.

Atropia, 1-60 grain (c. Sacch. Lactis.)

COMPRESSED POWDERS OR PILLS.

Bismuth Sub-Carb., 5 grains.

Bismuth Sub-Nit., 5 and 10 grains.

Bismuth Sub-Nit. et Ignatiæ.

Bismuth Sub-Nit. 5 grains, Ext. Ignatiæ $\frac{1}{4}$ grain.

Bismuth Sub-Nit. et Nuc. Vom. -

Bismuth Sub-Nit. 5 grains, Ext. Nuc. Vom. $\frac{1}{2}$ grain.

Bismuth Sub-Nit. et Pepsin.

Bismuth Sub-Nit. 5 grains, Pepsin Porci 1 grain.

Bismuth Sub-Nit. et Pepsin.

Bismuth Sub-Nit. $2\frac{1}{2}$ grains, Pepsin Porci $2\frac{1}{2}$ grains.

Bismuth Sub-Nit. et Pepsin et Quiniæ.

Bismuth Sub-Nit. 5 grains, Pepsin Porci, 2 grains, Quin. Sulph. $\frac{1}{2}$ grain.

Bismuth Sub-Nit. et Pepsin et Quiniæ et Strychniæ.

Bismuth Sub-Nit. 5 grains, Pepsin Porci 2 grains, Quiniæ Sulph. $\frac{1}{2}$ grain
Strychniæ 1-60 grain.

Bismuth Sub-Nit. et Pepsin et Strychniæ.

Bismuth Sub-Nit. $2\frac{1}{2}$ grains, Pepsin Porci $2\frac{1}{2}$ grains, Strychniæ 1-60 grain

Bismuth Tannat. c. Opii.

Bismuth Tannat. 5 grains, Opii Pulv. $\frac{1}{4}$ grain.

Borax, 5 grains.

Caffeine Citrate, 1 grain.

Calcii Hypophos., 5 grains.

Calcii Lactophosphat., 5 grains.

Calcii Lactophosphat. et Pepsin.

Calcii Lactophosphat., 2 grains, Pepsin Porci 2 grains.

Calcii Lactophosphat et Pepsin et Pancreatin.

Calcii Lactophosphat., 2 grains, Pepsin Porci 2 grains, Pancreatin, 1 grain.

Calomel, $\frac{1}{2}$, 1, 2, 3 and 5 grains.

Calomel Comp. (Plummer's), 3 grains

Calomel, Oxysulph. Antimony, Gualacum Resin.

Calomel et Ipecac Co.

Calomel 1 grain, Ipecac Co. $3\frac{1}{2}$ grains

Calomel et Opii.

Calomel 2 grains, Opii 1 grain.

Calomel et Rhei.

Calomel $\frac{1}{2}$ grain, Ext. Rhei $\frac{1}{2}$ grain, Ext. Coloc. Co. $\frac{1}{2}$ grain, Ext. Hyos-
cyami 1-6 grain.

COMPRESSED POWDERS OR PILLS.

Calomel et Sodii Bi-Carb.

Calomel $2\frac{1}{2}$ grains, Sodii Bi-Carb. $2\frac{1}{2}$ grains.

Calomel et Sodii Bi-Carb. Comp.

Calomel 2 grains, Sodii Bi-Carb. 2 grains, Podophyllin $\frac{1}{4}$ grain.

Cathartic Comp., U. S. P.

Cathartic Comp.; Improved.

Cathartic Vegetable.

Ext. Coloc. Simp. $\frac{1}{2}$ grain, Podophyllin $\frac{1}{4}$ grain, Pulv. Res. Scam. $\frac{1}{2}$ grain, Pulv. Aloes Socot. $1\frac{1}{4}$ grains, Pulv. Cardamomi 1-9 grain, Pulv. Saponis $\frac{1}{2}$ grain.

Cerii Oxalat, 2 grains.

Chapman's.

Aloes, Rhei, Mastic.

Cinchona Alkaloids, (Mixed).

Quinia Sulph. $\frac{1}{2}$ grain, Quinidia Sulph. $\frac{1}{2}$ grain, Cinchonina Sulph. 1 grain, Cinchonidia Sulph. 1 grain.

Cinchonina Sulph., 2, 3, 4 and 5 grains.

Cinchonidia Bi-Sulph, 2, 3 and 5 grains.

Cinchonidia Salicyl., $2\frac{1}{2}$ and 5 grains.

Cinchonidia Sulph., 2, 3, 4 and 5 grains.

Codeine, $\frac{1}{4}$ grain, (c. Sacch. Lactis.)

Cook's.

Aloes 1 grain, Calomel $\frac{1}{2}$ grain, Rhei 1 grain, Saponis $\frac{1}{2}$ grain.

Colocynthis Comp., (U. S. P.)

Colocynthis Comp., c. Podophyllin.

Ext. Coloc. Co. $2\frac{1}{2}$ grains, Podophyllin $\frac{1}{4}$ grain.

Digitalin, 1-60 grain, (c. Sacch. Lactis.)

Digitalis Comp.

Digitalis 1 grain, Scilla 1 grain, Potass. Nit. 2 grains.

Diuretic.

Saponis Hispan. 2 grains, Sodii Carb. Ex. 2 grains, Ol. Junip. 1 gtt.

Fellis Bovis.

Fellis Bovis, 2 grains, Zingiber 1 grain.

Fellis Bovis, Pepsin et Pancreatin.

Fellis Bovis. 2 grains, Pepsin 2 grains, Pancreatin 2 grains.

Ferri Met. (Quevenne's), 1 and 2 grains.

20 Physicians, who wish to use our Preparations,

COMPRESSED POWDERS OR PILLS.

Ferri Arseniat. Co.

Ferri Pyrophos. 2 grains, Ferri Arsen. 1-12 grain.

Ferri Carb-Proto, 3 and 5 grains.

Ferri-Carb., Quiniæ et Strychniæ.

Ferri Carb. (Vallet) 2 grains, Quiniæ Sulph. 1 grain, Strychniæ 1-60 grain.

Ferri Citrat. (Soluble), 5 grains.

Ferri Comp. (U. S. P.)

Ferri Iodid. (U. S. P.)

Ferri Iodid c. Quiniæ.

Ferri Iodid. 1 grain, Quiniæ $\frac{1}{4}$ grain.

Ferri Lactat, 1 grain.

Ferri Lactat. Comp. (Dr. S. W. Mitchell's).

Ferri Lactat. 2 grains, Quiniæ Sulph. 1 grain, Ext. Ignat. Amar. $\frac{1}{4}$ grain.

Ferri Phosph., 5 grains.

Ferri Proto-Carb. Comp. (Dr. T. B. Reed's).

Ferri Proto-Carb. 2 grains, Quiniæ Sulph. 1 grain, Ext. Ignat. Amar. $\frac{1}{4}$ grain.

Ferri Pyrophosph, 2 grains.

Ferri Pyrophosph., Quiniæ et Bismuth.

Ferri Pyrophosph. 2 grains, Quiniæ Sulph. 1 grain, Bismuth Sub-Nit. 5 grains.

Ferri Pyrophosph., Quiniæ et Strychniæ.

Ferri Pyrophosph. 2 grains, Quiniæ Sulph. 1 grain, Strychniæ 1-60 grain.

Ferri et Myrrh.

Ferri Met. 1 grain, Myrrh 4 grains.

Ferri Sulph. Exsicc., Comp.

Ferri Sulph. Exsic. 1 grain, Ext. Coloc. Co. 1 grain, Aloes $\frac{1}{2}$ grain, Ext. Belladonna 1-6 grain.

Ferri et Potass. Tart., 5 grains.

Ferri et Quiniæ Citrat., 2, 3 and 5 grains.

Ferri et Quiniæ et Arsen.

Ferri Pulv. 2 grains, Quiniæ Sulph. 1 grain, Ac. Arsen. 1-50 grain.

Ferri et Quiniæ et Strychniæ.

Ferri Pulv. 1 grain, Quiniæ Sulph. 1 grain, Strychniæ 1-60 grain.

Ferri et Quiniæ Sulph.

Quiniæ Sulph. 1 grain. Ferri Met. 1 grain.

Ferri et Quiniæ Sulph et Bismuth.

Ferri Met. 1 grain, Quiniæ Sulph. 1 grain, Bismuth Sub-Nit. 5 grains.

COMPRESSED POWDERS OR PILLS.

Ferri et Quiniæ Sulph. et Bismuth et Pepsin.

Ferri Met. $\frac{1}{2}$ grain, Quiniæ Sulph. $\frac{1}{2}$ grain, Bismuth Sub-Nit. 5 grains,
Pepsin Porci 2 grains.

Ferri et Quiniæ Sulph. et Bismuth et Pepsin et Strychniæ.

Ferri Met. $\frac{1}{2}$ grain, Quiniæ Sulph. $\frac{1}{2}$ grain, Bismuth Sub-Nit. 5 grains,
Pepsin Porci 2 grains, Strychniæ 1-60 grain.

Ferri et Strychniæ.

Ferri Met. 1 grain, Strychniæ 1-60 grain.

Hepatic.

Pil. Hydrarg. 2 grains, Ext. Coloc. Co. 2 grains, Ext. Hyoc. $\frac{1}{2}$ grain.

Hooper's.

Hydrarg. (U. S. P.), 1, 3 and 5 grains.

Hydrarg. Chlor. Corros, 1-10 grain (c. Sacch. Lactis.)

Hydrarg. Comp.

Pil. Hydrarg. 1 grain, Pulv. Opii $\frac{1}{4}$ grain, Pulv. Ipecac $\frac{1}{4}$ grain.

Hydrarg. Iodid et Opii.

Hydrarg. Iodid 1 grain, Pulv. Opii $\frac{1}{4}$ grain.

Ignatiæ Amar. $\frac{1}{4}$ and $\frac{1}{2}$ grain.

Ipecac Pulv., 5 grains.

Ipecac et Opii (Pulv. Doveri. (U. S. P.), 2, 3 and 5 grains.

Lady Webster's (3 grains).

Pulv. Aloes Socot., Gum Mastic, Flor. Rosa.

Lepandrin, $\frac{1}{4}$, $\frac{1}{2}$ and 1 grain, (c. Sacch. Lactis.)

Lithii Carb., 2 grains.

Morphiæ Acet., $\frac{1}{8}$ grain.

Morphiæ Bromid, $\frac{1}{8}$ grain.

Morphiæ Muriat., $\frac{1}{8}$ grain.

Morphiæ Sulph., 1-10, $\frac{1}{8}$, 1-6, $\frac{1}{4}$ and $\frac{1}{2}$ grain.

Morphiæ Comp.

Morphiæ Sulph. $\frac{1}{4}$ grain, Ant. et Pot. Tart. $\frac{1}{4}$ grain, Calomet $\frac{1}{4}$ grain.

Neuralgic.

Quiniæ Sulph. $1\frac{1}{2}$ grains, Morphiæ 1-20 grain, Strychniæ 1-20 grain, Ext.
Aconit. $\frac{1}{4}$ grain.

Neuralgic, (Brown-Sequard).

Ext. Hyosey. $\frac{3}{8}$ grain, Ext. Conii. $\frac{3}{8}$ grain, Ext. Ignat. Am. $\frac{1}{2}$ grain, Ext.
Opii $\frac{1}{2}$ grain, Ext. Aconit. $\frac{1}{2}$ grain, Ext. Cannab. Ind. $\frac{1}{4}$ grain, Ext. Stram.
-5 grain, Ext. Belladonna 1-6 grain.

22 Physicians, who wish to use our Preparations,

COMPRESSED POWDERS OR PILLS.

Neuralgic, (Dr. Gross) with Morphia.

Quiniæ Sulph. 2 grains, Morphiæ Sulph. 1-20 grain, Strychniæ 1-30 grain.
Acid Arsen. 1-20 grain, Ext. Aconit $\frac{1}{2}$ grain.

Neuralgic, (Dr. Gross) without Morphia.

Same as above without Morphia.

Nux Vomica, $\frac{1}{4}$ and $\frac{1}{2}$ grain.

Opii, 1 grain,

Opii Deodorat, 1 grain.

Opii et Belladonna.

Opii Pulv. $\frac{1}{2}$ grain, Ext. Belladonna $\frac{1}{2}$ grain.

Opii et Camph.

Opii 1 grain, Camph. 2 grains.

Opii et Camph. et Tannin.

Opii $\frac{1}{4}$ grain, Camph. 1 grain, Ac. Tannic 2 grains.

Opii et Hyoscyami.

Opii $\frac{1}{2}$ grain, Ext. Hyoscyami $1\frac{1}{2}$ grains.

Opii et Plumbi Acet.

Opii $\frac{1}{2}$ grain, Plumbi Acet. $1\frac{1}{2}$ grains.

Opii et Quiniæ.

Opii Pulv. $\frac{1}{2}$ grain, Quiniæ Sulph. $1\frac{1}{2}$ grain.

Pancreatin, 5 grains.

Pepsin, 5 grains.

Pepsin Porci et Bismuth et Ferri.

Pepsin Porci 2 grains, Bismuth Sub-Nit. 5 grains, Ferri Met. $\frac{1}{2}$ grain

Pepsin Porci et Calcii Lactophosph.

Pepsin Porci 3 grains, Calcii Lactophos. 2 grains

Pepsin Porci et Ferri.

Pepsin Porci 5 grains, Ferri Pyrophos. 2 grains.

Pepsin Porci et Strychniæ.

Pepsin Porci 5 grains, Strychnia 1-60 grain.

Pepsin Porci et Pancreatin et Bismuth.

Pepsin Porci 2 grains, Pancreatin 2 grains, Bismuth Sub-Nit. 2 grains.

Pepsin Comp.

Pepsin 2 grains, Sodii Lactat. 2 grains, Magnesia 2 grains

Peptonic.

Pure Pepsin 1 grain, Pure Pancreatin 1 grain, with Lactophosphate of Lime and Lactic Acid.

Podophyllin 1-10, $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$, 1 and 2 grains.

COMPRESSED POWDERS OR PILLS.

Podophyllin Comp.

Podophyllin $\frac{1}{2}$ grain, Ext. Hyos. $\frac{1}{8}$ grain, Ext. Nuc. Vom. 1-16 grain.

Podophyllin et Hydrarg.

Podophyllin $\frac{1}{4}$ grain, Mass. Hydrarg 2 grains.

Podophyllin et Leptandrin.

Podophyllin $\frac{1}{2}$ grain, Leptandrin 1 grain.

Potass Bicarb., 5 grains.

Potass. Bromid., 5 and 10 grains.

Potass. et Ammon. Bromid.

Potass. Bromide 5 grains, Ammon. Bromide 5 grains.

Potass. Bromid et Ext. Conii.

Potass. Bromide $7\frac{1}{2}$ grains, Ext. Conii $1\frac{1}{2}$ grains

Potass. Chlor., 5 grains.

Potass. Iodid., 5 grains.

Potass. Nitro-Carb.

Potass. Bicarb. 7 grains, Potass. Nit. 1 grain.

Potass. Nitrat., 5 grains.

Prandio.

Ext. Coloc. Co. 1 grain, Ext. Hyoscyami $\frac{1}{2}$ grain, Ext. Nuc. Vom. $\frac{1}{8}$ grain.
Aloes, 1-12 grain.

Quiniæ Acetat, 1 grain.

Quiniæ Arseniat, $\frac{1}{3}$ grain.

Quiniæ Bi-Sulph., $\frac{1}{2}$, 1, 2, 3, 4 and 5 grains.

Quiniæ Bromid, $\frac{1}{2}$ grain.

Quiniæ Citrat., 1 grain.

Quiniæ Comp.

Quiniæ Sulph. 1 grain, Ferri Pulv. 1 grain, Ac. Arsen. 1-50 grain.

Quiniæ Comp. c. Strychniæ.

Quiniæ Sulph. 1 grain, Ferri Pulv. 1 grain, Ac. Arsen. 1-50 grain, Strychniæ 1-60 grain.

Quiniæ Muriat., 1 grain.

Quiniæ Sulph., $\frac{1}{2}$, 1, 2, 3, 4 and 5 grains.

Quiniæ et Bismuth.

Quiniæ Sulph. $\frac{1}{2}$ grain, Bismuth Sub-Nit. 5 grains.

Quiniæ et Ferri et Ac. Arsen.

Quiniæ Sulph. 1 grain, Ferri Pulv. 1 grain, Ac. Arsen. 1-50 grain.

COMPRESSED POWDERS OR PILLS.

Quiniæ et Ferri et Capsici.

Quiniæ Sulph. 1 grain, Ferri Met. 1 grain, Capsici $\frac{1}{2}$ grain.

Quinidiæ Sulph., 2, 3 and 5 grains.

Rhei, (U. S. P.)

Pulv. Rhei 3 grains, Pulv. Saponis 1 grain.

Rhei Comp., (U. S. P.)

Pulv. Rhei 2 grains, Pulv. Aloes Socot. $1\frac{1}{2}$ grains, Pulv. Myrr. grain, Ol Menth. Pip.

Rhei et Magnesiæ.

Rhei 2 grains, Magnesiæ 2 grains.

Salicin, $2\frac{1}{2}$ and 5 grains.

Santonin, 1 grain.

Santonin, (with Chocolate).

Santonin 1 grain, Ext. Cacao 4 grains.

Santonin et Podophyllin.

Santonin $\frac{1}{2}$ grain, Podophyllin 1-20 grain.

Scillæ Comp., (U. S. P.)

Soda Mint.

Sod. Bi-carb. 4 grains, Ammon. Carb. $\frac{1}{4}$ grain, Ol. Menth. Pip. 1-6 gtt.

Sodii Bi-Carb., 5 grains.

Sodii et Magnes. Lactat. c. Pepsin.

Sodii 2 grains, Magnes. Lactat., 2 grains, Pepsin 2 grains.

Sodii Salicyl., 3 and 5 grains.

Strychniæ.

Strychniæ 1-60 grain, (c. Sacch. Lactis.)

Strychniæ Compound.

Strychniæ 1-100 grain, Phosph. 1-100 grain, Ext. Cannab. Ind. 1-16 grain, Ferri Carb. (Vallet) 1 grain.

Syphilitic, No. 1.

Potass. Iodid. $2\frac{1}{2}$ grains, Hydr. Chlor. Corros. 1-40 grain.

Triplex.

Aloes 2 grains, Pil. Hydrarg. 1 grain, Podophyllin $\frac{1}{4}$ grain.

Zinci Phosphat., 1 grain.

Zinci Phosphide et Ext. Nuc. Vom.

Zinci Phosphuret 1-10 grain, Ext. Nuc. Vom. $\frac{1}{4}$ grain.

N. B.—When the **Compressed Pills** weigh more than the given formula, it is owing to the addition of **Sugar of Milk**, which is used in order to divide the drugs completely, thereby increasing their diffusibility.

DOSE LIST

OF

FLUID EXTRACTS.

—:0:—

Representing in each Pint, sixteen troy ounces of the Drug.

—:0:—

It is best to commence with the minimum dose and repeat.

	DOSE.
Aconite Leaves, <i>Aconitum Napellus</i> . Sedative, Diaphoretic, Diuretic, Narcotic.	2 to 5 min.
Aconite Root, <i>Aconitum Napellus</i> . Sedative, Diaphoretic, Diuretic, Narcotic.	1 to 2 "
Angelica Root, <i>Angelica Atropurpurea</i> . Aromatic, Stimulant.	30 to 60 "
Aniseed, <i>Pimpinella Anisum</i> . Aromatic and Carminative.	20 to 30 "
Angustura True, <i>Galipea Officinalis</i> . Tonic, Stimulant.	15 to 40 "
Arbor Vitæ, <i>Thuja Occidentalis</i> . Aromatic, Tonic, Astringent.	$\frac{1}{2}$ to 1 Fl. 3.
Areca Nut, <i>Areca Catechu</i> . Astringent, Tonic.	1 to 4 "
Arnica, <i>Arnica Montana</i> . Nerve-stimulant, Diuretic, Emetic, Diaphoretic.	5 to 20 min.
Aromatic, (<i>Pulvis Aromaticus</i> , U. S. P.) Stimulant and Carminative.	30 to 50 "
Avens Root, <i>Geum Rivale</i> . Tonic, Astringent.	20 to 60 "
Bael Fruit, <i>Ægle Marmelos</i> . Astringent.	1 to 2 Fl. 3.

FLUID EXTRACTS,

Balmony, <i>Chelone Glabra</i> .	1 to 2 Fl. 3.
Anthelmintic, Cathartic, Tonic.	
Bayberry, <i>Myrica Cerifera</i> .	½ to 1 “
Astringent, Purgative, Tonic.	
Balm, <i>Melissa Officinalis</i> .	2 to 4 “
Antiseptic, Diaphoretic, Styptic.	
Barberry Bark, <i>Berberis Vulgaris</i> .	1 to 2 “
Astringent, Emetic, Tonic.	
Bearsfoot, <i>Polymnia Uvedalia</i> .	5 to 10 min.
Anti-spasmodic, Anthelmintic.	
Belladonna Leaves, <i>Atropa Belladonna</i> .	3 to 5 “
Alterative, Diuretic, Diaphoretic, Narcotic-poison.	
Belladonna Root, U. S. P., <i>Atropa Belladonna</i> .	1 to 3 “
Alterative, Diuretic, Diaphoretic, Narcotic-poison.	
Berberis, <i>Berberis Aquifolium</i> .	20 to 40 “
Alterative, Anti-Syphilitic.	
Beth Root, <i>Trillium Pendulum</i> .	1 to 2 Fl. 3.
Antiseptic, Astringent, Tonic.	
Bitter Root, <i>Apocynum Androsæmifolium</i> .	10 to 60 min.
Emetic, Diaphoretic, Tonic, Laxative, Diuretic.	
Bitter Sweet, U. S. P., <i>Solanum Dulcamara</i> .	1 to 2 Fl. 3.
Antiphoretic, Alterative, Diuretic, Narcotic.	
Black Cohosh, U. S. P., <i>Cimicifuga Racemosa</i> .	10 to 30 min.
Astringent, Sedative, Styptic, Tonic.	
Blackberry Root, U. S. P., <i>Rubus Villosus</i> .	1 to 2 Fl. 3.
Astringent, Tonic.	
Black Haw, <i>Viburnum Prunifolium</i> .	1 to 2 “
Astringent, Alterative, Tonic, Uterine-tonic, Diuretic.	
Black Hellebore, <i>Helleborus Niger</i> .	10 to 20 min
Emetic, Drastic-hydragogue-cathartic.	
Blood Root, <i>Sanguinaria Canadensis</i> .	10 to 15 “
Alterative, Emmenagogue, Emetic, Stimulant, Narcotic,	
Blue Cohosh, <i>Caulophyllum Thalicteroides</i> .	20 to 40 “
Anti-spasmodic, Diuretic, Diaphoretic.	
Blue Flag, <i>Iris Versicolor</i> .	½ to 1 Fl. 3.
Alterative, Cathartic, Cholagogue, Tonic.	
Boldo Leaf, <i>Peumus Boldo</i> .	10 to 15 min.
Tonic.	

FLUID EXTRACTS.

Boneset, <i>Eupatorium Perfoliatum</i> .	½ to 1 Fl. ʒ.
Aperient, Tonic, Diuretic, Diaphoretic, Emetic.	
Broom Top, <i>Sarothamnus Scoparius</i> .	30 to 60 min.
Cathartic, Diuretic, Emetic, Febrifuge	
Bryony, <i>Bryonia Alba</i> .	10 to 60 "
Cathartic, Discutient.	
Buchu Comp., (<i>Buchu</i> , <i>Juniper Berries</i> , <i>Uva Ursi</i> , <i>Cubebs</i> .)	1 to 2 Fl. ʒ.
Aromatic, Tonic, Stimulant, Diuretic.	
Buchu, Long Leaf, <i>Barosma Serratifolia</i> .	½ to 2 "
Aromatic, Tonic, Stimulant, Diuretic.	
Buchu, Short Leaf, <i>Barosma Crenata</i> .	½ to 2 "
Aromatic, Tonic, Stimulant, Diuretic.	
Buchu and Pareira Brava (equal parts).	1 to 4 "
Aperient, Tonic, Diuretic, Stimulant.	
Buckthorn Berries, <i>Rhamnus Catharticus</i> .	½ to 1 "
Purgative, Drastic-Cathartic.	
Buckthorn Bark, <i>Rhamnus Frangula</i> .	1 to 2 "
Mild Cathartic.	
Bugleweed, <i>Lycopus Virginicus</i> .	1 to 4 "
Astringent, Narcotic, Tonic.	
Burdock, <i>Lappa Minor</i> .	1 to 2 "
Aperient, Alterative, Diuretic, Diaphoretic.	
Butternut Bark, <i>Juglans Cinerea</i> .	1 to 2 "
Mild Cathartic.	
Calabar Bean, <i>Physostigma Venenosum</i> .	1 to 3 min.
Powerful Sedative.	
Calamus, <i>Acorus Calamus</i> .	10 to 30 "
Carminative, Aromatic.	
Canada Snake Root, (Wild Ginger), <i>Asarum</i> <i>Canadense</i> .	1 to 2 Fl. ʒ.
Aromatic, Diaphoretic, Stimulant.	
Cantharides, <i>Cantharis Vesicatoria</i> .	1 to 2 min.
Used Externally.	
Cardamom Comp. (<i>Cardamon Seed</i> , <i>Caraway Seed</i> , <i>Cochineal</i> , <i>Cinnamon</i> .)	30 to 60 "
Warm Aromatic, Stimulant.	

28 Physicians, who wish to use our Preparations,

FLUID EXTRACTS.

Cardamom Seeds, <i>Elettaria Cardamomum</i> . Warm Aromatic, Stimulant.	30 to 60 min.
Caraway Seed, <i>Carum Carui</i> . Aromatic, Carminative.	$\frac{1}{2}$ to 1 Fl. 3.
Cascara Sagrada, <i>Rhamnus Purshiana</i> . Cathartic.	1 to 4 "
Cascarilla, <i>Croton Eleuteria</i> . Aromatic, Tonic.	1 to 2 "
Cassia, <i>Cinnamomum Aromaticum</i> . Stimulant, Aromatic, Astringent.	15 to 30 min.
Castor Oil Beans, <i>Ricinus Communis</i> . Cathartic.	5 to 10 "
Castor Oil Leaves, <i>Ricinus Communis</i> . Cathartic, Promoting Secretion of Milk.	1 to 4 Fl. 3
Catnip, <i>Nepeta Cataria</i> . Diaphoretic, Excitant, Stimulant, Tonic.	$\frac{1}{2}$ to 1 "
Cayenne, <i>Capsicum Annuum</i> . Powerfully stimulant, Excitant, Rubefacient	3 to 10 min.
Chamomile, <i>Anthemis Nobilis</i> . Tonic. In large doses, Emetic.	$\frac{1}{2}$ to 1 Fl. 3.
Cherry Bark, U. S. P., <i>Prunus Virginiana</i> . Expectorant, Sedative, Stimulant, Tonic.	30 to 60 min.
Cherry Bark Comp., (<i>Cherry Bark, Blood Root, Ipecac, Opium.</i>) Expectorant, Sedative, Stimulant, Tonic.	$\frac{1}{2}$ to 1 Fl. 3.
Chestnut Leaves, <i>Castanea Vesca</i> . Astringent, Antiseptic, Tonic.	1 to 2 "
Chickory, <i>Cichorium Intyb</i> . Diuretic Laxative.	1 to 2 "
Chiretta, <i>Agathotes Chirayta</i> . Bitter-tonic.	$\frac{1}{2}$ to 1 "
Cinchona, Aromatic. Anti-malarial, Tonic, Sedative.	1 to 2 "
Cinchona, Pale, <i>Cinchona Pallida</i> . Anti-malarial, Tonic, Sedative.	$\frac{1}{2}$ to 1 "
Cinchona, Calisaya U. S. P., <i>Cinchona Flava</i> . Anti-malarial, Tonic, Sedative.	15 to 60 min.

FLUID EXTRACTS

Cinchona, Comp., U. S. P., for Compound Tincture.	30 to 60 min.
Anti-malarial, Tonic, Sedative.	
Cinchona, Red, Cinchona Rubra.	30 to 60 "
Anti-malarial, Tonic, Sedative.	
Cleavers, Galium Aparine.	1 to 2 Fl. 3.
Anti-scorbutic, Diuretic, Refrigerant.	
Clover Tops, Trifolium Pratense.	1 to 2 "
Anti-spasmodic, Stimulant, Detergent.	
Cloves, Caryophyllus Aromaticus.	10 to 20 min.
Aromatic, Carminative.	
Coca Leaves, Erythroxylon Coca.	1 to 3 Fl. 3.
Excitant, Stimulant, Tonic.	
Coffee—for Syrup, Caffea Arabica.	2 to 4 "
Anti-soporific, Anti-emetic, Stimulant.	
Colchicum Root, U. S. P., Colchicum Autumnale.	2 to 5 min.
Narcotic, Sedative.	
Colchicum Seed, U. S. P., Colchicum Autumnale.	5 to 10 "
Narcotic, Sedative.	
Colocynth Compound. Representing the Powdered Compound Extract of Colocynth, U. S. P.	5 to 10 "
Hydragogue-Cathartic.	
Colocynth, Citrullus Colocynthis.	5 to 10 "
Powerful drastic-hydragogue-cathartic.	
Columbo U. S. P., Cocculus Palmatus.	20 to 60 "
Non-astringent, Tonic.	
Comfrey, Symphytum Officinale.	½ to 1 Fl. 3.
Astringent, Demulcent, Tonic.	
Conium Leaves, Conium Maculatum.	3 to 10 min.
Powerful narcotic poison, Sedative.	
Conium Seed, U. S. P., Conium Maculatum.	2 to 5 "
Powerful narcotic poison, Sedative.	
Coriander Seed, Coriandrum Sativum	15 to 30 "
Aromatic, Carminative, Stimulant.	
Corn Ergot, Ustilago Maidis.	10 to 60 "
Promoting muscular contraction.	
Corn Silk, Zea Mays.	1 to 2 Fl. 3.
Diuretic.	

30 Physicians, who wish to use our Preparations,

FLUID EXTRACTS.

Coto Bark, Coto. Tonic.	2 to 10 min.
Cotton Root Bark, U. S. P., Gossypium Herbaceum. Emmenagogue, Diuretic.	1 to 2 Fl. 3.
Cranesbill, U. S. P., Geranium Maculatum. Powerfully astringent.	20 to 60 min.
Cramp Bark, Viburnum Opulus. Powerfully antispasmodic.	1 to 3 Fl. 3.
Cubebs, U. S. P., Piper Cubeba. Urinary Stimulant.	15 to 20 min
Culvers Root, Leptandra Virginica. Cholagogue, Laxative, Tonic.	$\frac{1}{2}$ to 1 Fl. 3.
Damiana, Turnera Aphrodisiaca. Aphrodisiac. Sudorific.	1 to 2 "
Dandelion, U. S. P., Taraxacum Dens-Leonis. Alterative, Aperient, Diuretic.	1 to 2 "
Dandelion and Senna. Alterative, Aperient, Diuretic, Laxative.	$\frac{1}{2}$ to 2 " c)
Dog Grass, Triticum Repens. Diuretic, Aperient.	2 to 4 "
Dogwood, U. S. P., Cornus Florida. Tonic, Excitant, Stimulant.	$\frac{1}{2}$ to 1 "
Dwarf Elder, Aralia Hispida. Sudorific, Alterative, Diuretic.	1 to 2 "
Elder Flowers, Sambucus Canadensis. Gently excitant and sudorific.	1 to 2 "
Elecampane, Inula Helenium. Expectorant, Tonic, Stimulant.	20 to 60 min.
Ergot (with or without acid), Claviceps Purpurea. Promotes muscular contraction	10 to 60 "
Ergot (Ethereal), Claviceps Purpurea. Promotes muscular contraction.	10 to 60 "
Eucalyptus Globulus. Febrifuge, Anti spasmodic, Antiseptic, Tonic.	$\frac{1}{4}$ to 1 Fl. 3.
Evening Primrose, Oenothera Biennis. Nervine-tonic.	30 to 60 min.
False Unicorn, Helonias Dioica. Uterine-tonic, Diuretic, Sialagogue.	10 to 30 "

FLUID EXTRACTS.

Five Flowered Gentian, <i>Gentiana Quinqueflora</i> . Intermittent, Tonic, Anti-periodic.	1 to 2 Fl. 3.
Fleabane, U. S. P., <i>Erigeron Canadense</i> . Stimulant, Diuretic, Tonic.	1 to 2 "
Foxglove, U. S. P., <i>Digitalis Purpurea</i> . Powerful narcotic poison, Sedative, Diuretic.	2 to 5 min.
Fringe Tree Bark, <i>Chionanthus Virginica</i> . Aperient, Alterative, Diuretic, Narcotic.	1 to 2 Fl. 3.
Frostwort, <i>Helianthemum Canadense</i> . Astringent, Anti-Scrofulous, Tonic.	1 to 2 "
Galls.	1 to 2 "
Gentian, U. S. P., <i>Gentiana Lutea</i> . Pure bitter-tonic.	½ to 1 "
Gentian Comp., (<i>Gentian, Cardamom, Orange Peel,</i> <i>bitter.</i>)	½ to 1 "
Ginger, U. S. P., <i>Zingiber Officinale</i> . Stimulant, Rubefacient, Sialagogue, Errhine.	5 to 40 min.
Ginseng, <i>Panax Quinquefolium</i> . Aromatic, Stimulant.	20 to 60 "
Golden Seal, U. S. P., <i>Hydrastis Canadensis</i> . Aperient, Alterative, Cholagogue, Deobstruent, Tonic.	10 to 30 "
Golden Seal, without Alcohol.	10 to 40 "
Golden Rod, <i>Solidago Odora</i> . Aromatic, Stimulant, Carminative.	½ to 1 Fl. 3.
Gold Thread, <i>Coptis Trifolia</i> . Bitter-tonic.	½ to 1 "
Gravel Plant, <i>Epigæa Repens</i> . Diuretic, Astringent.	1 to 3 "
Grindelia Robusta. Expectorant, Remedy for Asthma.	30 to 60 min.
Grindelia Squarrosa. Preventive of malarial diseases. Useful in nervous excitement,	1 to 2 Fl. 3.
Guaiacum Wood, <i>Guaiacum Officinale</i> . Stimulant, Diaphoretic.	1 to 2 "

32 Physicians, who wish to use our Preparations,

FLUID EXTRACTS.

Guarana, Paullinia Sorbilis.	10 to 30 min.
Astringent Nerve-tonic.	
Hair Cap Moss, Polytrichum Juniperum.	2 to 4 Fl. 3.
Diuretic.	
Hellebore, American, U. S. P., Veratrum Viride.	2 to 4 min.
Narcotic, Sedative, Emetic, Alterative.	
Hellebore, White, Veratrum Album.	2 to 4 "
Drastic-cathartic, Emetic, Sedative.	
Henbane, U. S. P., Hyoscyamus Niger.	5 to 10 "
Powerful narcotic poison, Antiseptic.	
Horehound, Marrubium Vulgare.	1 to 2 Fl. 3.
Laxative, Tonic, Expectorant.	
Hop, Humulus Lupulus.	30 to 60 min.
Alterative, Tonic, Soporific, Narcotic, Diuretic, Febrifuge.	
Horse Chesnut Bark, Æsculum Hippocastanum.	30 to 60 "
Malarial tonic.	
Hydrangea, Hydrangea Arborescens.	½ to 1 Fl. 3.
Remedy for calculous diseases.	
Ignatia Bean, Ignatia Amara.	1 to 5 min.
Laxative, Tonic, Diuretic. Powerful control over nervous action.	
Indian Hemp, black, Apocynum Cannabinum.	3 to 10 "
Emetic, Cathartic, Diuretic.	
Indian Hemp, (Foreign), Cannabis Sativus.	2 to 5 "
Powerful narcotic.	
Indian Hemp, white, Asclepias Incarnata.	10 to 40 "
Emetic, Cathartic, Anthelmintic.	
Ipecac, U. S. P., Cephaelis Ipecacuanha.	5 to 60 "
Emetic, Stimulant, Diaphoretic, Expectorant.	
Ipecac and Seneka.	10 to 60 "
Emetic, Stimulant, Diaphoretic, Expectorant.	
Jaborandi, Pilocarpus Pinnatus.	20 to 60 "
Sialagogue, Diaphoretic, Diuretic. Remedy for Bella-donna Poison.	
Jalap, Ipomæa Jalapa.	20 to 60 "
Active-irritant-cathartic.	
Jamaica Dogwood, Piscidia Erythrina.	½ to 2 Fl. 3.
Sedative. Narcotic.	

FLUID EXTRACTS.

Juniper Berries, <i>Juniperus Communis</i> . Carminative, Diuretic, Stimulant. 7	½ to 1 Fl. ʒ.
Kameela, <i>Mallotus Phillippinensis</i> . Tonicide.	2 to 4 "
Kave Kave, <i>Piper Methysticum</i> . Bitter-tonic, Anti-Gonorrhœal.	30 to 60 min.
Kooso, <i>Brayera Anthelmintica</i> . Vermifuge, Purgative	2 to 4 Fl. ʒ.
Ladies' Slipper, <i>Cypripedium Pubescens</i> . Anti-spasmodic, Diaphoretic, Narcotic, Nerve-tonic.	15 to 60. min.
Lettuce, <i>Lactuca Sativa</i> . Sedative, Soporific.	20 to 60 "
Life Root, <i>Senecio Aureus</i> . Diaphoretic, Diuretic, Uterine-tonic.	1 to 2 Fl. ʒ.
Licorice, U. S. P., <i>Glycyrrhiza Glabra</i> , Demulcent.	1 to 2 "
Licorice Root Comp., <i>Glycyrrhizæ Comp.</i> Demulcent. To disguise bitter taste of Quinine.	1 to 2 "
Liverwort, <i>Hepatica Americana</i> . Astringent, Diuretic, Demulcent, Deobstruent, Tonic.	½ to 1 "
Lobelia, <i>Lobelia Inflata</i> . Cathartic, Diaphoretic, Emetic, Expectorant, Narcotic.	5 to 30 min.
Lupulin U. S. P. Tonic, Narcotic.	5 to 10 "
Male Fern, <i>Aspidium Filix Mas</i> . Anthelmintic, Astringent, Tonic.	2 to 4 Fl. ʒ.
Mandrake, <i>Podophyllum Peltatum</i> . Cathartic.	10 to 20 min.
Manzanita, <i>Arctostaphylos Glauca</i> . Astringent, Diuretic.	1 to 1 Fl. ʒ.
Marigold, <i>Calendula Officinalis</i> . Anti-spasmodic, Sudorific, Deobstruent, Emmenagogue.	1 to 2 "
Marsh-Mallow, <i>Althæa Officinalis</i> . Demulcent.	½ to 1 "
Matico, U. S. P., <i>Artanthe Elongata</i> . Aromatic, Stimulant, Urinary-tonic.	½ to 1 "

FLUID EXTRACTS.

Mezereon Bark, U. S. P., Daphne Mezereum and Daphne Gnidium. Emetic, Purgative, Stimulant for Kidney.	5 to 15 min.
Milk Weed, Asclepias Syriaca. Tonic, Alterative, Diuretic.	15 to 60 "
Mistletoe, Viscum Album. Anti-spasmodic.	30 to 60 "
Motherwort, Leonurus Cardiaca. Emmenagogue, Nervine, Laxative.	1 to 2 Fl. 3.
Mullein Leaf and Top, Verbascum Thapsus. Demulcent, Diuretic.	1 to 2 "
Musk Root, Sumbulus Moschatus. Nerve-stimulant.	15 to 60 min.
Nettle, (Common) Urtica Dioica. Diuretic, Tonic, Astringent.	20 to 40 "
Night Blooming Cereus, Cactus Grandiflora. Arterial-sedative.	2 to 5 "
Nutmegs, Myristica Fragrans. Aromatic, Stimulant, Narcotic.	20 to 40 "
Nux Vomica, Strychnos Nux Vomica. Diuretic, Diaphoretic, Tonic, Laxative. Controls nervous action.	1 to 5 "
Opium (Aqueous), Papaver Somniferum. Narcotic, Sedative, Stimulant.	10 to 40 "
Opium, (Deodorized), Papaver Somniferum. Used when Tinct. Opii U. S. P. is contra-indicated.	10 to 40 "
Orange Peel, (sweet), Citrus Aurantium. Aromatic, Carminative, Tonic.	½ to 2 Fl. 3.
Orange Peel, (bitter), Citrus Vulgaris. Aromatic.	½ to 2 "
Orris Root, Iris Florentina. Emetic, Cathartic.	2 to 4 "
Pareira Brava, U. S. P., Cissampelos Pareira. Aperient, Diuretic, Tonic.	½ to 1 "
Pink Root, U. S. P., Spigelia Marilandica. Powerful anthelmintic.	½ to 1 "
Pink Root and Senna, U. S. P. Powerful anthelmintic.	1 to 4 "

Will please specify "Wyeth's," when prescribing. 35

FLUID EXTRACTS.

Pipsissewa, <i>Chimaphila Umbellata</i> . Astringent Diuretic, Tonic.	1 to 2 Fl. 3.
Pleurisy Root, <i>Asclepias Tuberosa</i> . Diuretic, Diaphoretic, Expectorant, Pleuritic.	½ to 2 "
Poison Oak, <i>Rhus Toxicodendron</i> . Narcotic, Irritant-poison.	2 to 10 min.
Poke Root, <i>Phytolacca Decandra</i> . Alterative, Cathartic, Emetic.	10 to 30 "
Pomegranate Bark, <i>Punica Granatum</i> . Specific for Tenia. Vermifuge.	1 to 2 Fl. 3.
Poplar Bark, <i>Populus Tremuloides</i> . Tonic, Petrifuge.	1 to 2 "
Poppy Heads, <i>Papaver Somniferum</i> . Similar to Opium, (mild).	½ to 2 Fl. 3.
Poppy Flowers, <i>Papaver Rhœdas</i> . Mild anodyne.	1 to 2 "
Prickly Ash Bark, <i>Xanthoxylum Fraxineum</i> . Alterative, Sialagogue, Stimulant, Tonic.	10 to 30 min.
Prickly Ash Berries, <i>Xanthoxylum Fraxineum</i> . Alterative, Sialagogue, Stimulant, Anti-spasmodic.	10 to 30 "
Pulsatilla, <i>Anemone Pulsatilla</i> . Alterative, Emmenagogue.	2 to 5 "
Quassia, <i>Simaruba Excelsa</i> . Bitter-tonic.	½ to 1 Fl. 3.
Quebracho Bark, <i>Aspidosperma Quebracho</i> , Variety Blanco. Diuretic, Anti-spasmodic.	10 to 30 min.
Queen of the Meadow, <i>Spiræa, Ulmaria</i> . Tonic, Astringent, Diuretic.	30 to 60 "
Queen's Root, U. S. P., <i>Stylingia Sylvatica</i> . Alterative, Cathartic, Emetic.	1 to 2 Fl. 3.
Queen's Root Comp. (<i>Queen's Root, Turkey Corn,</i> <i>Pipsissewa, Blue Flag, Burdock, Cori-</i> <i>ander, Prickly Ash Berries.</i>) Alterative, Cathartic.	1 to 2 "
Rhatany, U. S. P., <i>Krameria Triandra</i> . Astringent, Tonic.	30 to 30 min.

FLUID EXTRACTS.

Rhubarb, U. S. P., Rheum Palmatum. Astringent, Cathartic, Carminative, Tonic.	20 to 40 min.
Rhubarb, Aromatic. Astringent, Cathartic, Carminative, Tonic.	$\frac{1}{2}$ to 2 Fl. 3.
Rhubarb and Senna. Cathartic, Laxative.	1 to 2 "
Rhus Aromatica, Rhus Triloba. Diuretic, Astringent, Stimulant.	20 to 60 min.
Rose Leaves, Rosa Centifolia. Astringent, Aromatic.	1 to 2 Fl. 3.
Rosin Weed, Silphium Gummiferum. Diuretic, Emetic, Expectorant, Febrifuge.	20 to 40 min.
Rue, Ruta Graveolens. Stimulant, Emmenagogue.	15 to 30 "
Sage, Salvia Officinalis. Aromatic, Stimulant, Diaphoretic.	30 to 60 "
Sandalwood, Santalum Citrinum. Refrigerant, Diuretic. Specific for Gonorrhœa.	1 to 2 Fl. 3.
Sarsaparilla, U. S. P., Smilax Officinalis. Alterative, Diaphoretic, Stimulant.	1 to 2 "
Sarsaparilla Comp., U. S. P. Alterative.	1 to 2 "
Sarsaparilla Comp., for Syrup. Alterative.	1 to 2 "
Sarsaparilla and Dandelion. Alterative, Diuretic, Tonic.	1 to 2 "
Sassafras, Sassafras Officinale. Alterative, Diuretic, Diaphoretic, Stimulant.	$\frac{1}{2}$ to 1 "
Savin, U. S. P., Juniperus Sabina. Anthelmintic, Diuretic, Diaphoretic, Emmenagogue.	5 to 20 min.
Sculleap, Scutellaria Lateriflora. Anti-spasmodic, Nerve-tonic.	1 to 2 Fl. 3.
Seawrack, Fucus Vesiculosus. For reducing obesity.	$\frac{1}{2}$ to 2 "
Seneka, U. S. P., Polygala Senega. Diuretic, Expectorant, Emmenagogue, Stimulant, Sialagogue.	10 to 20 min.

Will please specify "Wyeth's," when prescribing. 37

FLUID EXTRACTS.

Senna, U. S. P., <i>Cassia Acutifolia</i> . Prompt Cathartic.	1 to 4 Fl. 3.
Senna, Aqueous, <i>Cassia Acutifolia</i> . Cathartic without griping.	1 to 4 "
Senna and Jalap. Prompt cathartic.	30 to 60 min.
Serpentaria, U. S. P., <i>Aristolochia Serpentaria</i> . Diuretic, Diaphoretic, Stimulant, Tonic.	30 to 60 "
Skunk Cabbage, <i>Symplocarpus Foetidus</i> . Anti-spasmodic, Narcotic, Stimulant.	30 to 60 "
Spikenard, <i>Aralia Racemosa</i> . Alterative, Pulmonary remedy.	2 to 4 Fl. 3.
Spiny Burreed, <i>Xanthium Spinosum</i> . Anti-Hydrophobic.	15 to 30 min.
Squill, U. S. P., <i>Scilla Maritima</i> . Diuretic, Emetic, Expectorant.	5 to 60 "
Squill Comp., (Squill and Seneka, equal parts). Diuretic, Emetic, Expectorant.	5 to 10 "
Stone Root, <i>Collinsonia Canadense</i> . Stimulant, Irritant.	30 to 60 "
Stramonium Leaves, <i>Datura Stramonium</i> . Anti-spasmodic, Narcotic-poison. Sedative.	2 to 5 "
Stramonium Seed, <i>Datura Stramonium</i> . Anti-spasmodic, Narcotic-poison, Sedative.	1 to 3 "
Sumach Berries, <i>Rhus Glabrum</i> . Antiseptic, Refrigerant, Diuretic.	1 to 2 Fl. 3.
Tag Alder, <i>Alnus Rubra</i> . Alterative, Astringent, Emetic.	20 to 60 min.
Tar Weed, (so-called Yerba Santa). <i>Eryodictyon Glutinosum</i> , and <i>Californicum</i> .	15 to 60 "
Turkey Corn, <i>Corydalis Formosa</i> . Alterative. Diuretic, Tonic.	20 to 60 "
Unicorn Root, <i>Aletris Farinosa</i> . Cathartic, Emetic, Narcotic.	20 to 40 "
Uva Ursi, U. S. P., <i>Arctostaphylos Uva Ursi</i> . Astringent, Diuretic. Tonic.	30 to 60 "
Valerian. U. S. P., <i>Valeriana Officinalis</i> . Nervous stimulant.	15 to 30 "

FLUID EXTRACTS.

Wafer Ash, <i>Ptelea Trifoliata</i> . Tonic.	30 to 60 min.
Wahoo Bark, <i>Euonymus Atropurpureus</i> . True cholagogue, Laxative, Tonic.	$\frac{1}{2}$ to 1 Fl. 3.
Water Pepper, <i>Polygonum Punctatum</i> . Antiseptic, Diuretic, Emmenagogue, Stimulant.	15 to 30 min.
White Oak Bark, <i>Quercus Alba</i> . Astringent, Tonic.	30 to 60 "
Wild Indigo, <i>Baptisia Tinctoria</i> . Antiseptic, Emetic, Purgative, Stimulant.	5 to 20 "
Wild Yam, <i>Dioscorea Villosa</i> . Anti-spasmodic.	20 to 40 "
Wintergreen, <i>Gaultheria Procumbens</i> . Carminative, Sialagogue, Rubefacient.	1 to 2 Fl. 3.
Witch Hazel, <i>Hamamelis Virginica</i> . Astringent, Sedative, Tonic.	1 to 2 "
Wormwood, <i>Artemisia Absinthium</i> . Anthelmintic, Narcotic, Tonic.	10 to 30 min.
Wormseed, <i>Chenopodium Anthelminticum</i> . Anthelmintic, Antispasmodic.	20 to 60 "
Wormseed Compound, (representing the old-fashioned Worm Tea.) Anthelmintic.	1 to 4 Fl. 3.
Yarrow, <i>Achillea Millefolium</i> . Alterative, Astringent, Aromatic, Tonic.	$\frac{1}{2}$ to 1 "
Yellow Dock, <i>Rumex Crispus</i> . Alterative, Astringent, Detergent, Tonic.	$\frac{1}{2}$ to 1 "
Yellow Jasmine, <i>Gelsemium Sempervirens</i> . Febrifuge, Nervous and arterial sedative.	2 to 5 min.
Yellow Parilla, <i>Menispermum Canadense</i> . Tonic, Alterative, Diuretic.	30 to 60 "
Yerba Buena, <i>Micromeria Douglassii</i> . Aromatic, Tonic, Stimulant.	$\frac{1}{2}$ to 1 Fl. 3.
Yerba Reuma, <i>Frankenia Grandifolia</i> . Deobstruent.	15 to 30 min.

—:O:—

Complete Dose Book with explanations, etc., etc., will be sent by mail on application.

Medicinal Fluid Extracts.

MADE BY COLD PERCOLATION.

Our process of manufacture is in accordance with the most advanced science in regard to the properties of each drug. The crude material, selected with the before-mentioned precaution, is treated with the greatest care, with such menstrua as will secure all the available active principles, to the exclusion of inert matters.

We have, therefore, no hesitation in claiming for these preparations, superiority to all others in the market, in *purity, activity and beauty*; and feel confident that this claim will be sustained by the judgment of any unbiased expert.

VACCINE VIRUS.

We have always in stock, fresh Humanized and Bovine Virus Crusts, except in the summer months; and then we have only the Humanized. With every Vaccine Crust, we will send the date of its removal from the child, name of the physician, and when possible, the name of the child.

PEPTONIC PILLS.

PEPSIN, PANCREATIN WITH LACTO-PHOSPHATE OF
LIME AND LACTIC ACID.

(Copyright Secured.)

This pill will give immediate relief in many forms of Dyspepsia and Indigestion, and will prove of permanent benefit in all cases of enfeebled digestion, produced from want of proper secretion of the Gastric Juice, By supplementing the action of the stomach, and rendering the food capable of assimilation, they enable the organ to recover its healthy tone, and thus permanent relief is afforded.

WYETH'S

FERRUM DIALYSATUM OR DIALYSED IRON.

A PURE NEUTRAL SOLUTION OF OXIDE OF IRON IN THE COLLOID
FORM; THE RESULT OF ENDOSMOSIS AND DIFFUSION
WITH DISTILLED WATER.

SOLUBLE COMPRESSED HYPODERMIC TABLETS.

Absolute Accuracy of Dose.

Ready and entire solubility.

Perfect preservation of the drug.

Their convenience and utility will at once be apparent on examination.

